



## Recommended Media: bizhub C452/C552/C652

MANUFACTURER	BRAND	KONICA MINOLTA ITEM #*	TYPE / ITEM #	SIZE	PAPER WEIGHT	PAPER INPUT LOCATION	PRINTER / MFP SETTING	AUTO DUPLEX
<b>PLAIN PAPER</b>								
International Paper	Hammermill Laser Print	n/a	-	Letter	20 lb. Bond (75 g/m <sup>2</sup> )	Any Tray, Bypass	Plain Paper	Yes
International Paper	Hammermill Tidal MP	n/a	-	Letter	20 lb. Bond (75 g/m <sup>2</sup> )	Any Tray, Bypass	Plain Paper	Yes
International Paper	New Radiant White 90	n/a	-	Letter	20 lb. Bond (75 g/m <sup>2</sup> )	Any Tray, Bypass	Plain Paper	Yes
Domtar	Recycled Copy	n/a	30% Post Consumer	Letter	20 lb. Bond (75 g/m <sup>2</sup> )	Any Tray, Bypass	Plain Paper	Yes
Domtar	Microprint Laser	n/a	-	Letter	24 lb. Bond (90 g/m <sup>2</sup> )	Any Tray, Bypass	Plain Paper	Yes
Konica Minolta	CF Paper	8918315	Plain Paper 2500 sheets	Letter	22 lb. Bond (80 g/m <sup>2</sup> )	Any Tray, Bypass	Plain Paper	Yes
Konica Minolta	CF Paper	8918314	Plain Paper 1500 sheets	Ledger	22 lb. Bond (80 g/m <sup>2</sup> )	Any Tray, Bypass	Plain Paper	Yes
Konica Minolta	CF Paper	8918309	Plain Paper 1500 sheets	12" x 18"	22 lb. Bond (80 g/m <sup>2</sup> )	Any Tray, Bypass	Plain Paper	Yes
Konica Minolta	CF Paper	8918321	Plain Paper 2000 sheets	Letter	28 lb. Bond (105 g/m <sup>2</sup> )	Any Tray, Bypass	Plain Paper	Yes
Konica Minolta	CF Paper	8918320	Plain Paper 1000 sheets	Ledger	28 lb. Bond (105 g/m <sup>2</sup> )	Any Tray, Bypass	Plain Paper	Yes
Konica Minolta	CF Paper	8918308	Plain Paper 1000 sheets	12" x 18"	28 lb. Bond (105 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 1	Yes
Domtar	Color Copy	n/a	-	Letter	28 lb. Bond (105 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 1	Yes
International Paper	Hammermill	n/a	Color Copy	Letter	32 lb. Bond (120 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 1	Yes
<b>COVER STOCK</b>								
International Paper	Hammermill Color Copy Cover	n/a	Photo White	Letter	60 lb. Cover (163 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 2	Yes
International Paper	Hammermill Color Copy Cover	n/a	-	Letter	60 lb. Cover (163 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 2	Yes
Domtar	Microprint Color Copy	n/a	Cover	Letter	60 lb. Cover (163 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 2	Yes
Domtar	Microprint Color Copy	n/a	Cover	Letter	65 lb. Cover (176 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 2	Yes
International Paper	Hammermill Color Copy Cover	n/a	Photo White	Letter	80 lb. Cover (216 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 3	INA
Domtar	Microprint Color Copy	n/a	Cover	Letter	80 lb. Cover (216 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 3	Yes
Smart Papers	Carnival White Cover	n/a	Cover	Letter	80 lb. Cover (216 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 3	INA
Mohawk Fine Papers Inc.	Mohawk Color Copy	n/a	98 Bright White	Letter	80 lb. Cover (216 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 3	Yes
International Paper	Springhill	n/a	Index Stock Code 015545	Letter	140 lb. Index (255 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 3	Yes

\* If an item number is present, please contact Konica Minolta to order media. An 'n/a' reference indicates the item is not available through Konica Minolta. Contact the manufacturer to order.



## Recommended Media: bizhub C452/C552/C652

MANUFACTURER	BRAND	KONICA MINOLTA ITEM #*	TYPE / ITEM #	SIZE	PAPER WEIGHT	PAPER INPUT LOCATION	PRINTER / MFP SETTING	AUTO DUPLEX
<b>COVER STOCK (CONTINUED)</b>								
Wausau Paper	Exact Index	n/a	-	Letter	140 lb. Index (255 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 3	Yes
International Paper	Hammemill Color Copy Cover	n/a	-	Letter	100 lb. Cover (270 g/m <sup>2</sup> )	Bypass	Thick 4	INA
Mohawk Fine Papers Inc.	Mohawk Color Copy	n/a	98 Bright White	Letter	100 lb. Cover (270 g/m <sup>2</sup> )	Bypass	Thick 4	Yes
<b>GLOSSY - SINGLE-SIDED</b>								
Lasercast	-	n/a	95 Single Side Glossy	Letter	95 lb. Text (144 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 1	No
Lasercast	-	n/a	125 Single Side Glossy	Letter	125 lb. Text (184 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 2	No
Smart Papers	Kromekote Laser High Gloss	n/a	Coated One Side 10 pt Cover	Letter	10 pt. Cover (219 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 3	Yes
Smart Papers	Kromekote Laser High Gloss	n/a	Coated One Side 12 pt Cover	Letter	12 pt. Cover (247 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 3	Yes
<b>GLOSSY - DOUBLE-SIDED</b>								
Sappi	Opus Gloss	n/a	-	Letter	80 lb. Text (118 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 1	Yes
Domtar	Microprint	n/a	Coated Laser Gloss	Letter	32 lb. Bond (118 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 1	Yes
Mohawk Fine Papers Inc.	Mohawk Color Copy	n/a	Gloss Pure White	Letter	32 lb. Bond (120 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 1	Yes
Smart Papers	Kromekote Laser High Gloss	n/a	Coated Two Sided	Letter	90 lb. Text (133 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 1	Yes
Lasercast	Lasercast 95	n/a	Double-Sided Glossy	Letter	95 lb. Text (144 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 1	Yes
Sappi	Opus Gloss Cover	n/a	-	Letter	80 lb. Cover (216 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 3	Yes
Domtar	Microprint	n/a	Coated Laser Gloss Cover	Letter	80 lb. Cover (216 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 3	Yes
Mohawk Fine Papers Inc.	Mohawk Color Copy	n/a	Gloss Pure White	Letter	80 lb. Cover (216 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 3	Yes
Smart Papers	Kromekote plus C2S Cover	n/a	-	Letter	90 lb. Cover (237 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 3	Yes
Smart Papers	Kromekote Laser High Gloss	n/a	Coated Two Sided 10 pt. Cover	Letter	10 pt. Cover (234 g/m <sup>2</sup> )	Any Tray, Bypass	Thick 3	Yes
Mohawk Fine Papers Inc.	Mohawk Color Copy	n/a	Gloss Pure White 100C	Letter	100 lb. Cover (270 g/m <sup>2</sup> )	Bypass	Thick 4	Yes

\* If an item number is present, please contact Konica Minolta to order media. An 'n/a' reference indicates the item is not available through Konica Minolta. Contact the manufacturer to order.



## Recommended Media: bizhub C452/C552/C652

MANUFACTURER	BRAND	KONICA MINOLTA ITEM #*	TYPE / ITEM #	SIZE	PAPER WEIGHT	PAPER INPUT LOCATION	PRINTER / MFP SETTING	AUTO DUPLEX
<b>LABELS</b>								
Avery	Color Printing Labels	n/a	6870 30 labels per sheet	Letter	-	Bypass	Thick 1	No
Avery	Color Printing Labels	n/a	6873 8 labels per sheet	Letter	-	Bypass	Thick 1	No
Avery	Color Printing Labels	n/a	6876 2 labels per sheet	Letter	-	Bypass	Thick 1	No
Avery	Color Printing Labels	n/a	6878 4 labels per sheet	Letter	-	Bypass	Thick 1	No
<b>ENVELOPES</b>								
Litho & Paper Corp.	Argo Envelope	n/a	Preservation Wove 57859	11" x 6.75"	24 lb.	Bypass	Envelope	No
<b>SPECIALTY PAPER</b>								
Techni-Print**	Photo T-Shirt Transfer	n/a	9721PO	Letter	-	Bypass	Thick 2	No
<b>BANNER PAPER</b>								
Konica Minolta	Banner Paper	76400 02409	Plain Paper 200 sheets	11.75" x 47.25"	100 lb. Text (180 g/m <sup>2</sup> )	Bypass	Banner Mode / Thick 1	No

\* If an item number is present, please contact Konica Minolta to order media. An 'n/a' reference indicates the item is not available through Konica Minolta. Contact the manufacturer to order.

\*\* T-Shirt Transfer Paper should not be solely used in the copier and should only be used on a limited basis (250 sheets per run maximum). Also, pay particular attention if a misfeed occurs in the fuser section of the copier. It should be removed immediately (due to odor) and then 15-25 sheets of regular (20 lb. bond) paper should be run to clean the fusing rollers. Also this media cannot be used in high humidity environments.



## Media Type Specification: bizhub C452/C552/C652

### STANDARD TRAY CAPACITY AND SUPPORTED MEDIA

MEDIA TYPE	WEIGHT	TRAY 1	TRAY 2	TRAY 3	TRAY 4	MULTIPLE BYPASS	AUTO DUPLEX**
Plain Paper	64-90 g/m <sup>2</sup>	500 sheets	500 sheets	1,500 sheets	1,000 sheets	150 sheets	Yes
OHP Film Transparency	-	-	-	-	-	20 sheets*	No
Thick Paper 1	91-120 g/m <sup>2</sup>	400 sheets	400 sheets	1,150 sheets	750 sheets	100 sheets	Yes
Thick Paper 1+	121-157 g/m <sup>2</sup>	280 sheets	280 sheets	800 sheets	500 sheets	80 sheets	
Thick Paper 2	158-209 g/m <sup>2</sup>	250 sheets	250 sheets	700 sheets	450 sheets	70 sheets	
Thick Paper 3	210-256 g/m <sup>2</sup>	200 sheets	200 sheets	600 sheets	400 sheets	60 sheets	
Thick Paper 4	257-300 g/m <sup>2</sup>	-	-	-	-	50 sheets	No
Postcards	-	-	-	200 sheets	200 sheets	50 sheets	
Envelopes	-	-	-	-	-	10 sheets	
Labels	-	-	-	-	-	50 sheets	
Banner Paper	127-210 g/m <sup>2</sup>	-	-	-	-	1 sheet	

### LU-204 TRAY CAPACITY AND SUPPORTED MEDIA

MEDIA TYPE	WEIGHT	LARGE-CAPACITY TRAY	AUTO DUPLEX**
Plain Paper	60-90 g/m <sup>2</sup>	2,500 sheets	Yes
Thick Paper 1	91-120 g/m <sup>2</sup>	2,000 sheets	
Thick Paper 1+	121-157 g/m <sup>2</sup>	1,450 sheets	
Thick Paper 2	158-209 g/m <sup>2</sup>	1,250 sheets	
Thick Paper 3	210-256 g/m <sup>2</sup>	1,000 sheets	

### LU-301 TRAY CAPACITY AND SUPPORTED MEDIA

MEDIA TYPE	WEIGHT	LARGE-CAPACITY TRAY	AUTO DUPLEX**
Plain Paper	64-90 g/m <sup>2</sup>	3,000 sheets	Yes
Thick Paper 1	91-120 g/m <sup>2</sup>	2,500 sheets	
Thick Paper 1+	121-157 g/m <sup>2</sup>	1,750 sheets	
Thick Paper 2	158-209 g/m <sup>2</sup>	1,550 sheets	
Thick Paper 3	210-256 g/m <sup>2</sup>	1,300 sheets	

\* Monochrome print only.

\*\* For Auto Duplex, only plain paper weighing 64-90 g/m<sup>2</sup> or thick paper weighing 91-256 g/m<sup>2</sup> are reliably fed.



## Purpose of the Media Guide

The purpose of this media guide is to educate our customers on basic paper characteristics, paper handling, general precautions, and proper storage as related to our MFP and printer products. Use this media guide to help select the best media appropriate for your general office use, marketing brochure or collateral, booklet, or any other graphic art output.

We also offer recommended media by product that can be ordered directly from Konica Minolta to ensure high quality printing and desired machine performance. Not all media recommended within this guide can be ordered directly through Konica Minolta, you must contact the manufacturer to purchase the media.

## Disclaimer

As an aid to end-users of Konica Minolta MFP and printer products, Konica Minolta Business Solutions U.S.A. Inc. (KMBS) has performed testing on certain media that may be printed by Konica Minolta's products. Based solely on such testing, KMBS has found that the products listed have functioned properly using the media listed during the course of testing. However, KMBS can give no assurances based upon such testing that the listed media will perform for any particular end-user's product, and KMBS disclaims any warranty, express or implied, to such effect.

KMBS recommends that each end user consult with its servicing dealer both to confirm that use of any listed media with the end user's product will not affect any servicing agreement with such dealer, and that the product is maintained in the appropriate environmental and other conditions stated in the product's operator's manual so as to optimize the possibility for replicating the results achieved in KMBS testing. This guide does not constitute an endorsement of the listed media, and there may be other media that enable the listed products to function properly.

Please note that the print media listed has been tested and approved for use in MFP and printers sold in the Americas only. Using certain media may affect fuser yield life.

For complete overview on product usage, please refer to the product's user manual.