



KONICA MINOLTA



bizhub PRESS C7000/C7000P/C70hc/C6000
bizhub PRO C6000L
SECTION 508 COMPLIANCE





Section 508 requires that federal departments and agencies provide Electronic and Information Technology (EIT) that's accessible to people with disabilities. The purpose of this Voluntary Product Accessibility Template (VPAT™) is to assist federal officials in assessing the availability of commercial EIT products.

Konica Minolta is pleased to comply with Section 508, offering universal design for accessible document imaging and management in the workplace. This Section 508 ideal is designed into all Konica Minolta office machines. Our multifunction products for offices contain numerous functions and features that provide easy operation for individuals with special needs.

Enhanced operational functionality includes: front-loading paper trays, adjustable display contrasts, enlarged displays, tilt-enabled control panels, extra-large buttons, convenient heights and reach, and easily accessible printer interiors for adding toner and replacing imaging cartridges.

For more information, please visit CountonKonicaMinolta.com/Section508.

Thank you for choosing Konica Minolta.

Design and Specifications are subject to change without notice. Not all accessibility features are available on all models. Please consult the actual VPAT data for more specific information. The trademarks, logos, and service marks ("Marks") displayed and/or listed on this document are the property of Konica Minolta Business Solutions U.S.A., Inc., its affiliates, or other third parties. You are not permitted to use the Marks without the prior written consent of the trademark owner or such third party, which may own the Marks. All other trademarks are the property of their respective owners.

TABLE OF CONTENTS

Summary – Voluntary Product Accessibility Template (VPAT)	4
Section 1194.21 Software Applications and Operating Systems	5
Section 1194.22 Web-Based Intranet and Internet Information and Applications	7
Section 1194.25 Self-Contained, Closed Products – Detail Voluntary Product Accessibility Template	9
Section 1194.31 Functional Performance Criteria – Detail Voluntary Product Accessibility	11
Section 1194.41 Information, Documentation, and Support – Detail Voluntary Product Accessibility Template	12

SUMMARY – VOLUNTARY PRODUCT ACCESSIBILITY TEMPLATE (VPAT)		
CRITERIA	SUPPORTING FEATURES	REMARKS AND EXPLANATIONS
Section 1194.21 Software Applications & Operating System	Supports with exceptions except for 1 item	Exceptions are listed under (a), (d) and (e).
Section 1194.22 Web-Based Intranet & Internet Information & Applications	N/A	
Section 1194.23 Telecommunications Products	N/A	This product is not a telecommunications product.
Section 1194.24 Video and Multimedia Products	N/A	This product is not a video or multimedia product.
Section 1194.25 Self-Contained, Closed Products	Supports with exceptions	There is no alternative to the product touch screen. However, the user can copy jobs using default settings and the control panel hard buttons.
Section 1194.26 Desktop & Portable Computers	N/A	No PC or workstation is sold as part of this product.
Section 1194.31 Functional Performance Criteria	Supports with exceptions	There is no alternative to the product touch screen. However, the user can copy jobs using default settings and the control panel hard buttons.
Section 1194.41 Information, Documentation & Support	Supports	The centralization of documentation, training, and support services for most Konica Minolta products allows us to achieve compliance across the corporation.



bizhub PRESS C7000/C7000P/C70hc/C6000
bizhub PRO C6000L



SECTION 1194.21 SOFTWARE APPLICATIONS AND OPERATING SYSTEMS		
CRITERIA	SUPPORTING FEATURES	REMARKS AND EXPLANATIONS
(a) When software is designed to run on a system that has a keyboard, product functions shall be executable from a keyboard where the function itself or the result of performing a function can be discerned textually.	Some limitations exist	<p>KMBS recommends the use of Windows XP operating system for all employees requiring assistive technology as this operating system incorporates the latest accessibility features available. When KMBS Microsoft XP drivers are active, keyboard commands can access all driver features, except for those mentioned below, via the tab and arrow keys, and printing can be accessed directly from the keyboard via CTRL plus P.</p> <p>Limitations: In [Job info], [Media] and [Layout] screens, vertical scrolling cannot be done from the keyboard.</p>
(b) Applications shall not disrupt or disable activated features of other products that are identified as accessibility features, where those features are developed and documented according to industry standards. Applications also shall not disrupt or disable activated features of any operating system that are identified as accessibility features where the application programming interface for those accessibility features has been documented by the manufacturer of the operating system and is available to the product developer.	Supports	KMBS Windows XP drivers will not disable assistive technology features.
(c) A well-defined on-screen indication of the current focus shall be provided that moves among interactive interface elements as the input focus changes. The focus shall be programmatically exposed so that assistive technology can track focus and focus changes.		

continued



bizhub PRESS C7000/C7000P/C70hc/C6000
bizhub PRO C6000L



SECTION 1194.21 SOFTWARE APPLICATIONS AND OPERATING SYSTEMS (CONTINUED)

CRITERIA	SUPPORTING FEATURES	REMARKS AND EXPLANATIONS
(d) Sufficient information about a user interface element including the identity, operation and state of the element shall be available to assistive technology. When an image represents a program element, the information conveyed by the image must also be available in text.	Does not support	Does not support assistive technology (screen reader).
(e) When bitmap images are used to identify controls, status indicators, or other programmatic elements, the meaning assigned to those images shall be consistent throughout an application's performance.	Supports	Bitmap images are consistent across the application. The following items use the same icon image. However, a text also accompanies the icons, therefore there will be no mistake. <ul style="list-style-type: none"> – “Instructions” and “Notes” – “Booklet Front Cover” and “Booklet Back Cover” – “Booklet Stapling” and “Hole-Punch”
(f) Textual information shall be provided through operating system functions for displaying text. The minimum information that shall be made available is text content, text input caret location, and text attributes.	Supports	KMBS Windows XP drivers are compatible with Windows operating system.
(f) Textual information shall be provided through operating system functions for displaying text. The minimum information that shall be made available is text content, text input caret location, and text attributes.	Supports	KMBS Windows XP drivers are compatible with Windows operating system.
(g) Applications shall not override user selected contrast and color selections and other individual display attributes.	Supports	KMBS Windows XP drivers are compatible with any Windows application and will not override selected contrast or color selections, however drivers do support Windows Accessibility Color and Contrast settings.
(h) When animation is displayed, the information shall be displayable in at least one non-animated presentation mode at the option of the user.	Supports	KMBS drivers do not contain any animation.
(i) Color coding shall not be used as the only means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.	Supports	KMBS drivers do not use color as the only means of conveying information.
(j) When a product permits a user to adjust color and contrast settings, a variety of color selections capable of producing a range of contrast levels shall be provided.	Supports	KMBS drivers do not have color or contrast settings, however drivers do support Windows Accessibility Color and Contrast settings.
(k) Software shall not use flashing or blinking text, objects, or other elements having a flash or blink frequency greater than 2 Hz and lower than 55 Hz.	Supports	KMBS drivers do not use flashing elements.
(l) When electronic forms are used, the form shall allow people using assistive technology to access the information, field elements, and functionality required for completion and submission of the form, including all directions and cues.	Supports	KMBS drivers do not require the use of any electronic forms.



bizhub PRESS C7000/C7000P/C70hc/C6000
bizhub PRO C6000L



SECTION 1194.22 WEB-BASED INTRANET AND INTERNET INFORMATION AND APPLICATIONS

CRITERIA	SUPPORTING FEATURES	REMARKS AND EXPLANATIONS
(a) A text equivalent for every non-text element shall be provided (e.g., via "alt", "longdesc", or in element content).	N/A	
(b) Equivalent alternatives for any multimedia presentation shall be synchronized with the presentation.	N/A	
(c) Web pages shall be designed so that all information conveyed with color is also available without color, for example from context or markup.	N/A	
(d) Documents shall be organized so they are readable without requiring an associated style sheet.	N/A	
(e) Redundant text links shall be provided for each active region of a server-side image map.	N/A	
(f) Client-side image maps shall be provided instead of server-side image maps except where the regions cannot be defined with an available geometric shape.	N/A	
(g) Row and column headers shall be identified for data tables.	N/A	
(h) Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers.	N/A	
(i) Frames shall be titled with text that facilitates frame identification and navigation.	N/A	
(j) Pages shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz.	N/A	
(k) A text-only page, with equivalent information or functionality, shall be provided to make a web site comply with the provisions of this part, when compliance cannot be accomplished in any other way. The content of the text-only page shall be updated whenever the primary page changes.	N/A	
(l) When pages utilize scripting languages to display content, or to create interface elements, the information provided by the script shall be identified with functional text that can be read by assistive technology.	N/A	

continued



bizhub PRESS C7000/C7000P/C70hc/C6000
bizhub PRO C6000L



SECTION 1194.22 WEB-BASED INTRANET AND INTERNET INFORMATION AND APPLICATIONS (CONTINUED)

CRITERIA	SUPPORTING FEATURES	REMARKS AND EXPLANATIONS
(m) When a web page requires that an applet, plug-in or other application be present on the client system to interpret page content, the page must provide a link to a plug-in or applet that complies with §1194.21 (a) through (l).	N/A	
(n) When electronic forms are designed to be completed on-line, the form shall allow people using assistive technology to access the information, field elements, and functionality required for completion and submission of the form, including all directions and cues.	N/A	
(o) A method shall be provided that permits users to skip repetitive navigation links.	N/A	
(p) When a timed response is required, the user shall be alerted and given sufficient time to indicate more time is required.	N/A	



bizhub PRESS C7000/C7000P/C70hc/C6000
bizhub PRO C6000L



**SECTION 1194.25 SELF-CONTAINED, CLOSED PRODUCTS
– DETAIL VOLUNTARY PRODUCT ACCESSIBILITY TEMPLATE**

CRITERIA	SUPPORTING FEATURES	REMARKS AND EXPLANATIONS
(a) Self contained products shall be usable by people with disabilities without requiring an end-user to attach assistive technology to the product. Personal headsets for private listening are not assistive technology.	Some limitations exist	There is no specific assistive technology required to do the basic copying operations using hard keys on the control panel and default setting of the touch screen; however, the touch screen is not accessible to alter default.
(b) When a timed response is required, the user shall be alerted and given sufficient time to indicate more time is required.	Supports	A time-out alert feature is present and controllable.
(c) Where a product utilizes touch screens or contact-sensitive controls, an input method shall be provided that complies with 1194.23(k) (1) through (4).		There is no alternative to the product touch screen. However, the user can do basic copy jobs using default settings and control panel hard buttons.
(d) When biometric forms of user identification or control are used, an alternative form of identification or activation, which does not require the user to possess particular biological characteristics, shall also be provided.	N/A	Biometric forms are not used.
(e) When products provide auditory output, the audio signal shall be provided at a standard signal level through an industry standard connector that will allow for private listening. The product must provide the ability to interrupt, pause, and restart the audio at anytime.	N/A	There is no auditory output.
(f) When products deliver voice output in a public area, incremental volume control shall be provided with output amplification up to a level of at least 65 dB. Where the ambient noise level of the environment is above 45 dB, a volume gain of at least 20 dB above the ambient level shall be user selectable. A function shall be provided to automatically reset the volume to the default level after every use.	N/A	There is no voice output.
(g) Color coding shall not be used as the only means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.	Supports	When color coding is used, an additional means of unique identification is also provided (e.g., the back-light color on the Start Key will light green for "OK" and orange for "Not Ready", however, at the same time, a text message that explains the status of the copier will also be displayed on the LCD panel).
(h) When a product permits a user to adjust color and contrast settings, a range of color selections capable of producing a variety of contrast levels shall be provided.	Supports	The product allows a user to choose a wide range of contrast settings for the LCD panel.

continued



**bizhub PRESS C7000/C7000P/C70hc/C6000
bizhub PRO C6000L**



SECTION 1194.25 SELF-CONTAINED, CLOSED PRODUCTS
- DETAIL VOLUNTARY PRODUCT ACCESSIBILITY TEMPLATE (CONTINUED)

CRITERIA	SUPPORTING FEATURES	REMARKS AND EXPLANATIONS
(l) Product shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz.	Supports	Flashing elements used on the products are 2 Hz.
(j) (1) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: The position of any operable control shall be determined with respect to a vertical plane, which is 48 inches in length, centered on the operable control, and at the maximum protrusion of the product within the 48 inch length.	Supports	The operable controls were designed to be within the specified range.
(j) (2) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: Where any operable control is 10 inches or less behind the reference plane, the height shall be 54 inches maximum and 15 inches minimum above the floor.	Some limitations exist	For basic operations the operable controls are within the specified range. When creating booklets jobs or tri-fold jobs, the output retrieving area is outside of the specified range.
(j) (3) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: Where any operable control is more than 10 inches and not more than 24 inches behind the reference pane, the height shall be 46 inches maximum and 15 inches minimum above the floor.	Supports	The operable controls were designed to be within the specified range.
(j) (4) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: Operable controls shall not be more than 24 inches behind the reference plane.	Supports	The operable controls were designed to be within the specified range.



bizhub PRESS C7000/C7000P/C70hc/C6000
bizhub PRO C6000L



**SECTION 1194.31 FUNCTIONAL PERFORMANCE CRITERIA
– DETAIL VOLUNTARY PRODUCT ACCESSIBILITY**

CRITERIA	SUPPORTING FEATURES	REMARKS AND EXPLANATIONS
(a) At least one mode of operation and information retrieval that does not require user vision shall be provided, or support for assistive technology used by people who are blind or visually impaired shall be provided.	Some limitations exist.	There is no alternative to the product touch screen. However, the user can do basic copy jobs using default settings and control panel hard buttons. The hard buttons that are regularly used (e.g., Start, Stop, Reset, Numerical Keys) are located individually and away from each other so that they can easily be recognized. Also, the sizes and shapes of the keys are different.
(b) At least one mode of operation and information retrieval that does not require visual acuity greater than 20/70 shall be provided in audio and enlarged print output working together or independently, or support for assistive technology used by people.	Supports	The product allows a user to choose a wide range of contrast settings for the LCD panel. The hard buttons that are regularly used (e.g., Start, Stop, Reset, Numerical Keys) are located individually and away from each other so that they can easily be recognized.
(c) At least one mode of operation and information retrieval that does not require user hearing shall be provided, or support for assistive technology used by people who are deaf or hard of hearing shall be provided.	N/A	No operations require user hearing.
(d) Where audio information is important for the use of a product, at least one mode of operation and information retrieval that does not require user speech shall be provided, or support for assistive hearing devices shall be provided.	N/A	No audio information is required for use of the product.
(e) At least one mode of operation and information retrieval that does not require user speech shall be provided, or support for assistive technology used by people with disabilities shall be provided.	N/A	No operations require speech.
(f) At least one mode of operation and information retrieval that does not require fine motor control or simultaneous actions and that is operable with limited reach and strength shall be provided.	Supports	The LCD panel does not require fine motor control or simultaneous actions. Operations can be done with limited reach and strength.



**bizhub PRESS C7000/C7000P/C70hc/C6000
bizhub PRO C6000L**



**SECTION 1194.41 INFORMATION, DOCUMENTATION, AND SUPPORT
 – DETAIL VOLUNTARY PRODUCT ACCESSIBILITY TEMPLATE**

CRITERIA	SUPPORTING FEATURES	REMARKS AND EXPLANATIONS
(a) Product support documentation provided to end-users shall be made available in alternate formats upon request, at not additional charge.	Supports	Product support documentation is available in alternate format.
(b) End-users shall have access to a description of the accessibility and compatibility features of products in alternate formats or alternate methods upon request, at no additional charge.	Supports	Description of the accessibility and compatibility features of products in alternate formats can be access upon request at no additional cost.
(c) Support services for products shall accommodate the communication needs of end-users with disabilities.	Supports	Konica Minolta provides support services that accommodate the communication needs of end-users with disabilities.



**bizhub PRESS C7000/C7000P/C70hc/C6000
 bizhub PRO C6000L**





KONICA MINOLTA

KONICA MINOLTA BUSINESS SOLUTIONS U.S.A., INC.
100 Williams Drive, Ramsey, NJ 07446

www.CountOnKonicaMinolta.com
www.kmbs.konicaminolta.us